

# xarvio SCOUTING Accuracy Report

11/21/2019



Lokaler Name	Wissenschaftlicher Name	Gesamt	Keimblatt- stadium	Frühes Stadium	Ausgereift	Verzweigung	Blüte
Samtpappel	Abutilon theophrasti	95%	93%	98%	89%	N/A	100%
Hispid starbur	Acanthospermum hispidum	99%	100%	100%	97%	N/A	N/A
Schafgarben (Gattung)	Achillea	90%	86%	87%	100%	N/A	N/A
Schampfplanze; Indische	Aeschynomene indica	83%	100%	88%	76%	N/A	N/A
Hundspetersilie; Gemeine	Aethusa cynapium	91%	100%	93%	89%	N/A	N/A
Lederbalsam	Ageratum conyzoides	100%	N/A	100%	N/A	N/A	N/A
Papageienblatt	Alternanthera ficoidea	98%	99%	100%	94%	99%	N/A
Papageienblatt; Sitzendes	Alternanthera sessilis	69%	N/A	68%	61%	N/A	N/A
Amarant; Niederliegender	Amaranthus blitoides	87%	50%	86%	92%	89%	N/A
Amarant; Grünlicher	Amaranthus blitum	96%	100%	96%	87%	N/A	N/A
Amarant; Fuchsschwanz-	Amaranthus palmeri	85%	72%	88%	100%	N/A	N/A
Amarant; Zurückgekrümmter	Amaranthus retroflexus	87%	66%	91%	89%	73%	67%
Amarant; Dorniger	Amaranthus spinosus	96%	83%	97%	75%	96%	N/A
Waterhemp; Common	Amaranthus tamariscinus	74%	100%	69%	79%	N/A	N/A
Amarant; Liegender	Amaranthus viridis	97%	96%	96%	98%	99%	N/A
Ambrosie; Beifussblättrige	Ambrosia artemisiifolia	90%	88%	89%	93%	50%	N/A
Traubenkraut; Dreilappiges	Ambrosia trifida	93%	94%	85%	100%	N/A	N/A
Gauchheil; Roter	Anagallis arvensis	79%	77%	82%	78%	100%	N/A
Hundskamille; Acker-	Anthemis arvensis	75%	77%	82%	63%	100%	N/A
Besenradmelde	Bassia scoparia	89%	100%	86%	92%	100%	N/A
Zweizahn; Schwarzfrüchtiger	Bidens frondosa	92%	75%	93%	100%	N/A	N/A
Zweizahn; Behaarter	Bidens pilosa	98%	95%	100%	95%	93%	N/A
Buttonweed; Broadleaf	Borreria latifolia	100%	100%	N/A	92%	50%	N/A
Raps	Brassica napus (winter)	92%	93%	93%	88%	100%	100%
Hirtentäschelkraut; Gemeines	Capsella bursa-pastoris	90%	75%	90%	90%	100%	50%
Schaumkraut; Wald-	Cardamine flexuosa	100%	N/A	100%	100%	N/A	N/A
Hornkraut; Knäuel-	Cerastium glomeratum	93%	67%	95%	100%	N/A	N/A
Asthma plant	Chamaesyce hirta	97%	87%	98%	98%	99%	99%
Gänsefuß; Bastard-	Chenopodium hybridum	94%	100%	90%	100%	100%	100%
Gänsefuß; Weißer	Chenopodium album	95%	88%	95%	98%	80%	78%
Archangel	Chromolaena odorata	84%	78%	N/A	100%	N/A	N/A

# xarvio SCOUTING Accuracy Report

11/21/2019



Lokaler Name	Wissenschaftlicher Name	Gesamt	Keimblattstadium	Frühes Stadium	Ausgereift	Verzweigung	Blüte
Kratzdistel; Acker-	Cirsium arvense	82%	57%	81%	91%	75%	N/A
Cirsium segetum	Cirsium segetum	93%	94%	87%	100%	N/A	N/A
Commeline; Bengalische	Commelina benghalensis	98%	97%	96%	97%	97%	N/A
Tagblume; Gewöhnliche	Commelina communis	95%	100%	98%	69%	N/A	N/A
Winde; Acker-	Convolvulus arvensis	84%	81%	87%	83%	100%	N/A
Kornblume	Cyanus segetum	92%	87%	94%	88%	100%	N/A
Stechapfel; Gemeiner	Datura stramonium	88%	70%	93%	91%	N/A	100%
Möhre; Wilde	Daucus carota	88%	86%	91%	80%	N/A	N/A
Rauke; Besen-	Descurainia sophia	85%	100%	90%	77%	75%	N/A
Mehlblume	Eclipta prostrata	95%	100%	97%	83%	N/A	N/A
Purpurquastenköpfchen	Emilia sonchifolia	100%	N/A	100%	100%	N/A	N/A
Schachtelhalm; Acker-	Equisetum arvense	80%	84%	80%	62%	80%	N/A
Berufskraut; Argentinisches	Erigeron bonariensis	98%	70%	100%	98%	100%	N/A
Berufskraut; Kanadisches	Erigeron canadensis	83%	67%	88%	65%	N/A	100%
Berufskraut; Weißliches	Erigeron sumatrensis	100%	N/A	100%	100%	100%	N/A
Reiherschnabel; Gewöhnlicher	Erodium cicutarium	89%	100%	75%	90%	100%	100%
Wolfsmilch; Bechertragende	Euphorbia heterophylla	85%	96%	72%	86%	95%	N/A
Knöterich; Winden-	Fallopia convolvulus	92%	88%	94%	94%	89%	100%
Erdrauch; Gemeiner	Fumaria officinalis	82%	71%	83%	86%	N/A	100%
Franzosenkraut; Kleinblütiges	Galinsoga parviflora	97%	100%	92%	96%	N/A	100%
Franzosenkraut; Behaartes	Galinsoga quadriradiata	96%	94%	96%	96%	N/A	N/A
Klettenlabkraut	Galium aparine	90%	88%	90%	89%	93%	100%
Klettenlabkraut; Kleinfrüchtiges	Galium spurium	97%	100%	93%	100%	100%	N/A
Ruhrkraut; Purpurrotes	Gamochaeta purpurea	99%	N/A	99%	99%	100%	N/A
Storchschnabel; Schlitzblättriger	Geranium dissectum	92%	90%	93%	91%	100%	N/A
Sonnenblume	Helianthus annuus	84%	75%	93%	60%	N/A	N/A
Johanniskraut; Echtes	Hypericum perforatum	98%	N/A	95%	100%	100%	N/A
Hairy indigo	Indigofera hirsuta	100%	99%	100%	100%	100%	N/A
Morning glory; Aristolochia-leaved	Ipomoea aristolochiaefolia	73%	70%	78%	73%	N/A	N/A
Trichterwinde; Efeublättrige	Ipomoea hederifolia	97%	92%	N/A	100%	100%	N/A
Prunkwinde; Japanische	Ipomoea nil	99%	99%	99%	N/A	N/A	N/A

# xarvio SCOUTING Accuracy Report

11/21/2019



Lokaler Name	Wissenschaftlicher Name	Gesamt	Keimblatt- stadium	Frühes Stadium	Ausgereift	Verzweigung	Blüte
Prunkwinde; Purpur-	Ipomoea purpurea	90%	50%	100%	83%	N/A	N/A
Trichterwinde; Gefiederte	Ipomoea quamoclit	100%	100%	N/A	100%	100%	N/A
Ipomoea grandifolia	Jacquemontia grandifolia	100%	100%	100%	100%	86%	N/A
Taubnessel; Stängelumfassende	Lamium amplexicaule	88%	63%	87%	90%	95%	N/A
Taubnessel; Rote	Lamium purpureum	78%	77%	77%	78%	100%	86%
Sumpflieb	Limnocharis flava	66%	66%	63%	N/A	N/A	N/A
Lein; Gemeiner	Linum usitatissimum	100%	100%	100%	100%	N/A	N/A
Gänsefuß; Vielsamiger	Lipandra polysperma	83%	N/A	91%	83%	N/A	N/A
Hornklee; Gewöhnlicher	Lotus corniculatus	90%	85%	94%	94%	100%	N/A
Primrose; Water	Ludwigia adscendens	53%	N/A	64%	58%	N/A	100%
Primrose-willow; Mexican	Ludwigia octovalvis	91%	83%	90%	82%	99%	N/A
Malve; Weg-	Malva neglecta	82%	N/A	75%	100%	100%	N/A
Malve; Kleinbürtige	Malva pusilla	90%	67%	100%	92%	100%	N/A
Kamille; Echte	Matricaria chamomilla	91%	93%	92%	90%	100%	N/A
Chocolateweed	Melochia corchorifolia	87%	67%	100%	100%	N/A	N/A
Bingelkraut; Einjähriges	Mercurialis annua	93%	94%	92%	96%	N/A	100%
Tagblume; Asiatische	Murdannia keisak	98%	97%	99%	100%	N/A	N/A
Vergissmeinnicht; Acker-	Myosotis arvensis	92%	90%	92%	94%	N/A	N/A
Giftbeere	Nicandra physalodes	98%	100%	97%	99%	100%	100%
Sauerklee; Breitblättriger	Oxalis latifolia	98%	100%	100%	92%	N/A	N/A
Mohn; Klatsch-	Papaver rhoeas	86%	83%	89%	81%	N/A	N/A
Parthenium	Parthenium hysterophorus	98%	95%	N/A	N/A	100%	100%
Smartweed; Prickly	Persicaria bungeana	98%	88%	100%	99%	N/A	N/A
Knöterich; Ampfer-	Persicaria lapathifolia	82%	75%	77%	88%	100%	N/A
Lady's thumb; Oriental	Persicaria longiseta	100%	100%	100%	N/A	N/A	N/A
Knöterich; Floh-	Persicaria maculosa	71%	75%	67%	77%	100%	N/A
Blattblume	Phyllanthus tenellus	98%	N/A	100%	100%	100%	N/A
Wegerich; Spitz-	Plantago lanceolata	76%	N/A	81%	73%	N/A	N/A
Knöterich; Vogel-	Polygonum aviculare	82%	47%	88%	85%	79%	N/A
Portulak	Portulaca oleracea	94%	98%	88%	98%	85%	99%

# xarvio SCOUTING Accuracy Report

11/21/2019



Lokaler Name	Wissenschaftlicher Name	Gesamt	Keimblatt- stadium	Frühes Stadium	Ausgereift	Verzweigung	Blüte
Praxelis	Praxelis clematidea	95%	83%	100%	100%	N/A	N/A
Hederich	Raphanus raphanistrum	98%	99%	98%	99%	100%	98%
Brazil pusley	Richardia brasiliensis	94%	90%	98%	79%	67%	75%
Wunderbaum	Ricinus communis	99%	N/A	99%	99%	N/A	N/A
Rotala; Indische	Rotala indica	91%	N/A	61%	100%	N/A	N/A
Ampfer; Sauer-	Rumex acetosa	94%	100%	94%	95%	N/A	N/A
Ampfer; Krauser	Rumex crispus	61%	56%	69%	50%	N/A	N/A
Kreuzkraut; Gemeines	Senecio vulgaris	89%	92%	88%	91%	100%	86%
Sicklepod	Senna obtusifolia	99%	100%	100%	99%	100%	67%
Stinkkassie	Senna occidentalis	100%	100%	100%	99%	100%	100%
Samtmalve; Herzformblättrige	Sida cordifolia	99%	98%	98%	100%	N/A	N/A
Mitfaserpflanze	Sida rhombifolia	88%	71%	96%	88%	N/A	N/A
Senf; Acker-	Sinapis arvensis	81%	70%	86%	79%	N/A	N/A
Nachtschatten; Amerikanischer	Solanum americanum	98%	N/A	N/A	98%	N/A	N/A
Nachtschatten; Schwarzer	Solanum nigrum	89%	78%	94%	86%	100%	67%
Gänsedistel; Acker-	Sonchus arvensis	92%	89%	94%	90%	N/A	N/A
Gänsedistel; Dornige	Sonchus asper	76%	64%	85%	72%	N/A	N/A
Gänsedistel; Kohl-	Sonchus oleraceus	80%	88%	73%	85%	100%	N/A
Gooseweed	Sphenoclea zeylanica	96%	81%	98%	99%	100%	N/A
Vogelmiere	Stellaria media	93%	89%	85%	99%	98%	100%
Löwenzahn; Gemeiner	Taraxacum officinale	90%	91%	88%	92%	100%	100%
Hellerkraut; Acker-	Thlaspi arvense	77%	79%	74%	88%	N/A	N/A
Black pigweed	Trianthema portulacastrum	90%	79%	81%	N/A	N/A	83%
Dreibiß; Niederliegender	Tridax procumbens	97%	97%	99%	96%	93%	100%
Kamille; Duftlose	Tripleurospermum inodorum	74%	75%	72%	75%	80%	N/A
Brennnessel; Kleine	Urtica urens	87%	73%	88%	88%	N/A	N/A
Ehrenpreis; Persischer	Veronica persica	86%	63%	90%	86%	96%	50%
Ehrenpreis; Glänzender	Veronica polita	97%	100%	95%	100%	N/A	N/A
Wicke; Futter-	Vicia sativa	78%	N/A	89%	89%	N/A	N/A
Stiefmütterchen; Acker-	Viola arvensis	85%	80%	88%	85%	100%	45%
Spitzklette; Gewöhnliche	Xanthium strumarium	90%	91%	94%	90%	67%	N/A