

xarvio SCOUTING Accuracy Report

11/21/2019



| Local Name | Scientific Name | Overall | Cotyledons | Young Dicot | Advanced | Branching | Flowering |
|-------------------------|-------------------------|---------|------------|-------------|----------|-----------|-----------|
| Folha de veludo | Abutilon theophrasti | 95% | 93% | 98% | 89% | N/A | 100% |
| Carrapicho de carneiro | Acanthospermum hispidum | 99% | 100% | 100% | 97% | N/A | N/A |
| Achillea (gênero) | Achillea | 90% | 86% | 87% | 100% | N/A | N/A |
| Angiquinho | Aeschynomene indica | 83% | 100% | 88% | 76% | N/A | N/A |
| Fool's parsley | Aethusa cynapium | 91% | 100% | 93% | 89% | N/A | N/A |
| Mentrasito | Ageratum conyzoides | 100% | N/A | 100% | N/A | N/A | N/A |
| Apaga-fogo | Alternanthera ficoidea | 98% | 99% | 100% | 94% | 99% | N/A |
| Joyweed; Sessile | Alternanthera sessilis | 69% | N/A | 68% | 61% | N/A | N/A |
| Amaranth; Spreading | Amaranthus blitoides | 87% | 50% | 86% | 92% | 89% | N/A |
| Caruru do brejo | Amaranthus blitum | 96% | 100% | 96% | 87% | N/A | N/A |
| Caruru palmeri | Amaranthus palmeri | 85% | 72% | 88% | 100% | N/A | N/A |
| Caruru gigante | Amaranthus retroflexus | 87% | 66% | 91% | 89% | 73% | 67% |
| Caruru de espinho | Amaranthus spinosus | 96% | 83% | 97% | 75% | 96% | N/A |
| Waterhemp; Common | Amaranthus tamariscinus | 74% | 100% | 69% | 79% | N/A | N/A |
| Caruru de mancha | Amaranthus viridis | 97% | 96% | 96% | 98% | 99% | N/A |
| Ragweed; Common | Ambrosia artemisiifolia | 90% | 88% | 89% | 93% | 50% | N/A |
| Ragweed; Giant | Ambrosia trifida | 93% | 94% | 85% | 100% | N/A | N/A |
| Morrião vermelho | Anagallis arvensis | 79% | 77% | 82% | 78% | 100% | N/A |
| Falsa camomila | Anthemis arvensis | 75% | 77% | 82% | 63% | 100% | N/A |
| Mock cypress | Bassia scoparia | 89% | 100% | 86% | 92% | 100% | N/A |
| Beggarticks | Bidens frondosa | 92% | 75% | 93% | 100% | N/A | N/A |
| Picão preto | Bidens pilosa | 98% | 95% | 100% | 95% | 93% | N/A |
| Erva quente | Borreria latifolia | 100% | 100% | N/A | 92% | 50% | N/A |
| Canola de inverno | Brassica napus (winter) | 92% | 93% | 93% | 88% | 100% | 100% |
| Shepherd's purse | Capsella bursa-pastoris | 90% | 75% | 90% | 90% | 100% | 50% |
| Bittercress; Wavy | Cardamine flexuosa | 100% | N/A | 100% | 100% | N/A | N/A |
| Sticky mouse-ear | Cerastium glomeratum | 93% | 67% | 95% | 100% | N/A | N/A |
| Erva de Santa Luzia | Chamaesyce hirta | 97% | 87% | 98% | 98% | 99% | 99% |
| Goosefoot; Maple-leaved | Chenopodium hybridum | 94% | 100% | 90% | 100% | 100% | 100% |
| Ançarinha branca | Chenopodium album | 95% | 88% | 95% | 98% | 80% | 78% |
| Archangel | Chromolaena odorata | 84% | 78% | N/A | 100% | N/A | N/A |

xarvio SCOUTING Accuracy Report

11/21/2019



| Local Name | Scientific Name | Overall | Cotyledons | Young Dicot | Advanced | Branching | Flowering |
|--------------------------|----------------------------|---------|------------|-------------|----------|-----------|-----------|
| Thistle; Creeping | Cirsium arvense | 82% | 57% | 81% | 91% | 75% | N/A |
| Cirsium segetum | Cirsium segetum | 93% | 94% | 87% | 100% | N/A | N/A |
| Trapoeraba | Commelina benghalensis | 98% | 97% | 96% | 97% | 97% | N/A |
| Trapoeraba | Commelina communis | 95% | 100% | 98% | 69% | N/A | N/A |
| Corda de viola | Convolvulus arvensis | 84% | 81% | 87% | 83% | 100% | N/A |
| Cornflower | Cyanus segetum | 92% | 87% | 94% | 88% | 100% | N/A |
| Bem casado | Datura stramonium | 88% | 70% | 93% | 91% | N/A | 100% |
| Cenoura | Daucus carota | 88% | 86% | 91% | 80% | N/A | N/A |
| Flixweed | Descurainia sophia | 85% | 100% | 90% | 77% | 75% | N/A |
| Daisy; American false | Eclipta prostrata | 95% | 100% | 97% | 83% | N/A | N/A |
| Falsa serralha | Emilia sonchifolia | 100% | N/A | 100% | 100% | N/A | N/A |
| Cavalinha | Equisetum arvense | 80% | 84% | 80% | 62% | 80% | N/A |
| Buva | Erigeron bonariensis | 98% | 70% | 100% | 98% | 100% | N/A |
| Buva | Erigeron canadensis | 83% | 67% | 88% | 65% | N/A | 100% |
| Buva | Erigeron sumatrensis | 100% | N/A | 100% | 100% | 100% | N/A |
| Stork's bill; Common | Erodium cicutarium | 89% | 100% | 75% | 90% | 100% | 100% |
| Leiteiro | Euphorbia heterophylla | 85% | 96% | 72% | 86% | 95% | N/A |
| Cipó de veado | Fallopia convolvulus | 92% | 88% | 94% | 94% | 89% | 100% |
| Common Fumitory | Fumaria officinalis | 82% | 71% | 83% | 86% | N/A | 100% |
| Fazendeiro | Galinsoga parviflora | 97% | 100% | 92% | 96% | N/A | 100% |
| Fazendeiro | Galinsoga quadriradiata | 96% | 94% | 96% | 96% | N/A | N/A |
| Cleavers | Galium aparine | 90% | 88% | 90% | 89% | 93% | 100% |
| Cleavers; False | Galium spurium | 97% | 100% | 93% | 100% | 100% | N/A |
| Cudweed; Purple | Gamochaeta purpurea | 99% | N/A | 99% | 99% | 100% | N/A |
| Crane's-bill; Cut-leaved | Geranium dissectum | 92% | 90% | 93% | 91% | 100% | N/A |
| Girassol | Helianthus annuus | 84% | 75% | 93% | 60% | N/A | N/A |
| Erva de São João | Hypericum perforatum | 98% | N/A | 95% | 100% | 100% | N/A |
| Anileira | Indigofera hirsuta | 100% | 99% | 100% | 100% | 100% | N/A |
| Corda de viola | Ipomoea aristolochiaefolia | 73% | 70% | 78% | 73% | N/A | N/A |
| Corda de viola | Ipomoea hederifolia | 97% | 92% | N/A | 100% | 100% | N/A |
| Corda de viola | Ipomoea nil | 99% | 99% | 99% | N/A | N/A | N/A |

xarvio SCOUTING Accuracy Report

11/21/2019



| Local Name | Scientific Name | Overall | Cotyledons | Young Dicot | Advanced | Branching | Flowering |
|------------------------|--------------------------|---------|------------|-------------|----------|-----------|-----------|
| Corda de viola | Ipomoea purpurea | 90% | 50% | 100% | 83% | N/A | N/A |
| Corda de viola | Ipomoea quamoclit | 100% | 100% | N/A | 100% | 100% | N/A |
| Corda de viola | Jacquemontia grandifolia | 100% | 100% | 100% | 100% | 86% | N/A |
| Dead-nettle; Henbit | Lamium amplexicaule | 88% | 63% | 87% | 90% | 95% | N/A |
| Dead-nettle; Red | Lamium purpureum | 78% | 77% | 77% | 78% | 100% | 86% |
| Velvetleaf; Yellow | Limncharis flava | 66% | 66% | 63% | N/A | N/A | N/A |
| Linhaça | Linum usitatissimum | 100% | 100% | 100% | 100% | N/A | N/A |
| Goosefoot; Manyseed | Lipandra polysperma | 83% | N/A | 91% | 83% | N/A | N/A |
| Cornichão | Lotus corniculatus | 90% | 85% | 94% | 94% | 100% | N/A |
| Prímula da noite | Ludwigia adscendens | 53% | N/A | 64% | 58% | N/A | 100% |
| Cruz de malta | Ludwigia octovalvis | 91% | 83% | 90% | 82% | 99% | N/A |
| Mallow; Dwarf | Malva neglecta | 82% | N/A | 75% | 100% | 100% | N/A |
| Mallow; Small | Malva pusilla | 90% | 67% | 100% | 92% | 100% | N/A |
| Camomila | Matricaria chamomilla | 91% | 93% | 92% | 90% | 100% | N/A |
| Chocolateweed | Melochia corchorifolia | 87% | 67% | 100% | 100% | N/A | N/A |
| Mercury; Annual | Mercurialis annua | 93% | 94% | 92% | 96% | N/A | 100% |
| Dayflower; Asian | Murdannia keisak | 98% | 97% | 99% | 100% | N/A | N/A |
| Forget-me-not | Myosotis arvensis | 92% | 90% | 92% | 94% | N/A | N/A |
| Joá de capote | Nicandra physalodes | 98% | 100% | 97% | 99% | 100% | 100% |
| Trevo-azedo | Oxalis latifolia | 98% | 100% | 100% | 92% | N/A | N/A |
| Papoula | Papaver rhoeas | 86% | 83% | 89% | 81% | N/A | N/A |
| Losna branca | Parthenium hysterophorus | 98% | 95% | N/A | N/A | 100% | 100% |
| Smartweed; Prickly | Persicaria bungeana | 98% | 88% | 100% | 99% | N/A | N/A |
| Persicaria; Pale | Persicaria lapathifolia | 82% | 75% | 77% | 88% | 100% | N/A |
| Lady's thumb; Oriental | Persicaria longisetata | 100% | 100% | 100% | N/A | N/A | N/A |
| Erva-de-bicho | Persicaria maculosa | 71% | 75% | 67% | 77% | 100% | N/A |
| Quebra pedra | Phyllanthus tenellus | 98% | N/A | 100% | 100% | 100% | N/A |
| Plantain; Buckhorn | Plantago lanceolata | 76% | N/A | 81% | 73% | N/A | N/A |
| Knotgrass | Polygonum aviculare | 82% | 47% | 88% | 85% | 79% | N/A |
| Beldroega | Portulaca oleracea | 94% | 98% | 88% | 98% | 85% | 99% |

xarvio SCOUTING Accuracy Report

11/21/2019



| Local Name | Scientific Name | Overall | Cotyledons | Young Dicot | Advanced | Branching | Flowering |
|------------------------|---------------------------|---------|------------|-------------|----------|-----------|-----------|
| Praxelis | Praxelis clematidea | 95% | 83% | 100% | 100% | N/A | N/A |
| Nabiça | Raphanus raphanistrum | 98% | 99% | 98% | 99% | 100% | 98% |
| Poaia branca | Richardia brasiliensis | 94% | 90% | 98% | 79% | 67% | 75% |
| Mamona | Ricinus communis | 99% | N/A | 99% | 99% | N/A | N/A |
| Indian toothcup | Rotala indica | 91% | N/A | 61% | 100% | N/A | N/A |
| Língua de vaca | Rumex acetosa | 94% | 100% | 94% | 95% | N/A | N/A |
| Curled dock | Rumex crispus | 61% | 56% | 69% | 50% | N/A | N/A |
| Groundsel | Senecio vulgaris | 89% | 92% | 88% | 91% | 100% | 86% |
| Fedegoso | Senna obtusifolia | 99% | 100% | 100% | 99% | 100% | 67% |
| Fedegoso | Senna occidentalis | 100% | 100% | 100% | 99% | 100% | 100% |
| Malva branca | Sida cordifolia | 99% | 98% | 98% | 100% | N/A | N/A |
| Malva preta | Sida rhombifolia | 88% | 71% | 96% | 88% | N/A | N/A |
| Mostarda | Sinapis arvensis | 81% | 70% | 86% | 79% | N/A | N/A |
| Maria pretinha | Solanum americanum | 98% | N/A | N/A | 98% | N/A | N/A |
| Maria pretinha | Solanum nigrum | 89% | 78% | 94% | 86% | 100% | 67% |
| Serralha | Sonchus arvensis | 92% | 89% | 94% | 90% | N/A | N/A |
| Serralha áspera | Sonchus asper | 76% | 64% | 85% | 72% | N/A | N/A |
| Serralha | Sonchus oleraceus | 80% | 88% | 73% | 85% | 100% | N/A |
| Gooseweed | Sphenoclea zeylanica | 96% | 81% | 98% | 99% | 100% | N/A |
| Erva de passarinho | Stellaria media | 93% | 89% | 85% | 99% | 98% | 100% |
| Dente de leão | Taraxacum officinale | 90% | 91% | 88% | 92% | 100% | 100% |
| Field pennycress | Thlaspi arvense | 77% | 79% | 74% | 88% | N/A | N/A |
| Black pigweed | Trianthema portulacastrum | 90% | 79% | 81% | N/A | N/A | 83% |
| Erva de touro | Tridax procumbens | 97% | 97% | 99% | 96% | 93% | 100% |
| Mayweed; Scentless | Tripleurospermum inodorum | 74% | 75% | 72% | 75% | 80% | N/A |
| Urtiga menor | Urtica urens | 87% | 73% | 88% | 88% | N/A | N/A |
| Speedwell; Common | Veronica persica | 86% | 63% | 90% | 86% | 96% | 50% |
| Speedwell; birdseye | Veronica polita | 97% | 100% | 95% | 100% | N/A | N/A |
| Common vetch | Vicia sativa | 78% | N/A | 89% | 89% | N/A | N/A |
| Violeta dos campos | Viola arvensis | 85% | 80% | 88% | 85% | 100% | 45% |
| Carrapicho de carneiro | Xanthium strumarium | 90% | 91% | 94% | 90% | 67% | N/A |